




Ottoman with Welting Cords



Size: 45 x 45 x 45 cm (18" x 18" x 18")

Supplies

- PFAFF® Sewing Machine
- Foam rubber cube 45 x 45 x 45 cm (18" x 18" x 18")
- 55 x 100 cm (22" x 40") Teal cotton print
- 55 x 100 cm (22" x 40") Flower cotton print
- 50 x 100 cm (20" x 40") Turquoise leather
- 50 x 110 cm (20" x 55") Light blue cotton
- 7.50 m (8 1/4 yds) cord for Welting
- 60 x 200 cm (24" x 80") Fusible batting
- Universal machine needle, size 80
- Matching sewing thread
- Welting foot, part #820530-096
- Twin Welting foot, part #820531-096
- Optional, Needle for sewing leather
- Pencil

Cutting Instructions:

measurements include 1 cm (3/8") allowances

Teal print:

- 2 squares 47 x 47 cm (18 3/4" x 18 3/4") 2 sides

Flower print:

- 2 squares 47 x 47 cm (18 3/4" x 18 3/4") 2 sides

Turquoise leather:

- 2 squares 47 x 47 cm (18 3/4" x 18 3/4") Ottoman Top and bottom

Light blue cotton solid:

- 2 strips each cut on the bias of 18 cm, 30 cm and 42 cm (7", 12" and 16 1/2") in length. The width of the strips depends on the thickness of the cord. Make sure that two cords can be laid next to one another in the lengthwise folded strip with enough fabric for the seam allowances. These bias strips will be the double welt embellishment on the top of the Ottoman.
- Bias strips when pieced together will equal 4.0 m (4 1/2 yds) in length wide enough to cover the cord plus seam allowance. This will be the welting around the Ottoman top and bottom.

Welting Cord:

- 4 each 18 cm, 30 cm and 42 cm (7", 12" and 16 1/2") in length for Twin Welting embellishment.
- Remainder will be used for the single welting around the Ottoman.

Fusible batting:

- 4 squares 47 x 47 cm (18 3/4" x 18 3/4")

Twin welting embellishments:

- Use a soft pencil to draw the pattern lines (see diagram) on the suede side of one leather square.
- Attach the Twin Welting Foot to the machine. Thread the machine with matching sewing thread.
- Place two of the 18 cm (7") cords next to one another, on the wrong side the 18 cm (7") bias strip and wrap the fabric around the cords. Place the fabric with cord under the presser foot, so that the right cord lies under the left groove of the foot and the raw edges lie to the right of the foot.
- Select straight stitch, center needle position, and stitch length 3. Stitch directly next to the right cord.
- Trim the fabric close to the seam and press the seam allowance to the center back of welting strip.
- Place the twin welting strip, centered, under the presser foot and stitch to the suede side of the leather square, along the pattern line.
- Prepare the remaining twin welting strips in the same manner and sew to the suede square.

Welting:



- Piece together the light blue bias strips for the welting to make one long strip.
- Attach the Welting Foot and thread your machine with sewing thread.
- Place the cord on the wrong side of the fabric strip and wrap the fabric over the cord.
- Place the fabric and cord under the Welting Foot, with the cord in the groove on the under-side of the foot.
- Select straight stitch with a length of 3. Stitch right next to the cord.

Finishing:

- Fuse the squares of fusible batting to wrong sides of the Teal print and Flower print cotton fabric squares.
- Finish all outer edges with a narrow zigzag stitch or with a serger.
- Attach the Welting Foot to your machine.
- Place the covered welt cord on the right side of the twin welt embellished suede square along the seam line.
- Place it under the Welting Foot with the welt cord in the groove of the foot. Stitch the welt cord to the fabric around the entire square, clip the seam allowance of the welt cord at the corners.
- Repeat for the leather square bottom piece, the smooth side of the leather will be the right side.
- Stitch the cube together by sewing the Teal print square and the Flower print square together to form a pair. Repeat for the other Teal print square and the Flower print square, make sure that the fabric alternates around the cube.
- Stitch together the pairs to form a circle.
- Stitch the square with twin welting in place on to the top of the cube.
- For the bottom, sew the leather square in place, but leave 2 sides open.
- Turn cube cover right side out. Pull over the foam-rubber cube.
- Sew the open edges closed by hand, using a leather needle, if needed.

Placement diagram for
twin welting cords on upper side of cube

